

Brass Ball Valves

Ideal Series - F & F Full Bore Brass Ball Valve

Suitable for air, steam, fuel & other industrial applications.
Max operating temperature 150°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04	1/4 BSP	4900kPa	8.96	5.97
47026-06	3/8 BSP	4900kPa	9.12	6.08
47026-08	1/2 BSP	4900kPa	10.97	7.31
47026-12	3/4 BSP	3900kPa	16.16	10.77
47026-16	1 BSP	3900kPa	24.77	16.51
47026-20	1 1/4 BSP	2950kPa	39.77	26.51
47026-24	1 1/2 BSP	2950kPa	58.38	38.92
47026-32	2 BSP	2480kPa	92.34	61.56
47026-40	2 1/2 BSP	1790kPa	213.15	142.10
47026-48	3 BSP	1580kPa	337.23	224.82
47026-64	4 BSP	1380kPa	546.47	364.31

Mini Series - F & F Reduced Bore Ball Valve

Suitable for air, fuel & other industrial applications.
Max operating temperature 90°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-02M	1/8 BSP	1500 kPa	7.79	5.19
47026-04M	1/4 BSP	1500 kPa	7.79	5.19
47026-06M	3/8 BSP	1500 kPa	7.83	5.22
47026-08M	1/2 BSP	1500 kPa	9.42	6.28

Mini Series - M & F Reduced Bore Ball Valve

Suitable for air, fuel & other industrial applications.
Max operating temperature 90°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47072-02M	1/8 BSP	1500 kPa	7.71	5.14
47072-04M	1/4 BSP	1500 kPa	7.71	5.14
47072-06M	3/8 BSP	1500 kPa	7.83	5.22
47072-08M	1/2 BSP	1500 kPa	9.21	6.14

Berlin Series - F & F Full Bore Brass Ball Valve

Suitable for gas, air, steam, petrol & oil.
Max operating temperature 150°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04G	1/4 BSP	4900kPa	11.55	7.70
47026-06G	3/8 BSP	4900kPa	12.26	8.17
47026-08G	1/2 BSP	4900kPa	17.58	11.72
47026-12G	3/4 BSP	3900kPa	28.13	18.75
47026-16G	1 BSP	3900kPa	40.76	27.17
47026-20G	1 1/4 BSP	2950kPa	63.87	42.58
47026-24G	1 1/2 BSP	2950kPa	90.29	60.19
47026-32G	2 BSP	2480kPa	134.54	89.69

Brass Ball Valves

Berlin Series - M & F Full Bore Brass Ball Valve

Suitable for gas, air, steam, petrol & oil.
Max operating temperature 150°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47072-04G	1/4 BSP	4900kPa	12.35	8.23
47072-06G	3/8 BSP	4900kPa	13.46	8.97
47072-08G	1/2 BSP	4900kPa	17.46	11.64
47072-12G	3/4 BSP	3900kPa	27.92	18.61
47072-16G	1 BSP	3900kPa	39.87	26.58
47072-20G	1 1/4 BSP	2950kPa	63.29	42.19
47072-24G	1 1/2 BSP	2950kPa	91.17	60.78
47072-32G	2 BSP	2480kPa	131.72	87.81

Isis Series - F & F Full Bore Brass Ball Valve

WaterMarked & AGA Approved to 2100kPa. Operating temperature range -20°C to 120°C. Quoted maximum pressure at 20°C.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04DR	1/4 BSP	4000kPa	32.88	21.92
47026-06DR	3/8 BSP	4000kPa	32.88	21.92
47026-08DR	1/2 BSP	4000kPa	29.88	19.92
47026-12DR	3/4 BSP	4000kPa	40.38	26.92
47026-16DR	1 BSP	4000kPa	59.63	39.75
47026-20DR	1 1/4 BSP	2500kPa	97.62	65.08
47026-24DR	1 1/2 BSP	2500kPa	156.66	104.44
47026-32DR	2 BSP	2500kPa	235.79	157.19

Berlin Series - F & F Full Bore Brass Ball Valve

Suitable for gas, air, steam, petrol & oil.
Max operating temperature 150°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04BG	1/4 BSP	4900kPa	11.45	7.63
47026-06BG	3/8 BSP	4900kPa	12.11	8.07
47026-08BG	1/2 BSP	4900kPa	17.58	11.72
47026-12BG	3/4 BSP	3900kPa	27.84	18.56
47026-16BG	1 BSP	3900kPa	40.41	26.94

Isis Series - F & F Full Bore Brass Ball Valve

With extended stem.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04DREXT	1/4 BSP	4000kPa	48.87	32.58
47026-06DREXT	3/8 BSP	4000kPa	48.87	32.58
47026-08DREXT	1/2 BSP	4000kPa	48.87	32.58
47026-12DREXT	3/4 BSP	4000kPa	67.25	44.83
47026-16DREXT	1 BSP	4000kPa	89.75	59.83
47026-20DREXT	1 1/4 BSP	2500kPa	149.42	99.61
47026-24DREXT	1 1/2 BSP	2500kPa	205.01	136.67
47026-32DREXT	2 BSP	2500kPa	310.88	207.25

Berlin Series - M & F Full Bore Brass Ball Valve

Suitable for gas, air, steam, petrol & oil.
Max operating temperature 150°C



Order Code	Size	Maximum Pressure	RRP Price	List Price
47072-04BG	1/4 BSP	4900kPa	12.20	8.13
47072-06BG	3/8 BSP	4900kPa	13.31	8.87
47072-08BG	1/2 BSP	4900kPa	17.46	11.64
47072-12BG	3/4 BSP	3900kPa	27.63	18.42
47072-16BG	1 BSP	3900kPa	39.59	26.39

Brass Ball Valves

Total Series - F & F Full Bore Brass Ball Valve

AGA Approved to 1050kPa. Operating temperature range -20°C to 150°C. Quoted maximum pressure at 20°C.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-02T	1/8 BSP	10000kPa	40.47	26.98
47026-04T	1/4 BSP	10000kPa	40.47	26.98
47026-06T	3/8 BSP	10000kPa	49.70	33.13
47026-08T	1/2 BSP	10000kPa	55.13	36.75
47026-12T	3/4 BSP	10000kPa	82.28	54.85
47026-16T	1 BSP	10000kPa	114.06	76.04
47026-20T	1 1/4 BSP	10000kPa	189.35	126.23
47026-24T	1 1/2 BSP	8000kPa	277.35	184.90
47026-32T	2 BSP	4000kPa	442.04	294.69
47026-40T	2 1/2 BSP	4000kPa	526.44	350.96
47026-48T	3 BSP	4000kPa	1151.34	767.56

Comet Series - F & F Reduced Bore Brass Ball Valve

Compression ends. AGA Approved to 2100kPa. Operating temperature range -20°C to 80°C. Quoted maximum pressure at 20°C.



Order Code	Tube	Maximum Pressure	RRP Price	List Price
47017-05	5/16	4000kPa	28.97	19.31
47017-06	3/8	4000kPa	27.32	18.21
47017-08	1/2	4000kPa	24.05	16.03
47017-12	3/4	4000kPa	34.92	23.28

WaterMarked DZR - F & F Full Bore Brass Ball Valve

WaterMarked & AGA Approved to 2100kPa. Operating temperature range -20°C to 99°C. Quoted maximum pressure at 20°C.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-08WDR	1/2 BSP	4000kPa	23.54	15.69
47026-12WDR	3/4 BSP	4000kPa	31.69	21.13
47026-16WDR	1 BSP	4000kPa	47.62	31.74
47026-20WDR	1 1/4 BSP	2500kPa	77.85	51.90
47026-24WDR	1 1/2 BSP	2500kPa	112.69	75.13
47026-32WDR	2 BSP	2500kPa	166.62	111.08

Lockable Brass Ball Valves - F & F Full Bore Open/Closed

AGA Approved to 1050kPa. Operating temperature range -20°C to 150°C. Quoted maximum pressure at 20°C.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-04L	1/4 BSP	4000kpa	41.85	27.90
47026-06L	3/8 BSP	4000kpa	41.85	27.90
47026-08L	1/2 BSP	4000kpa	47.08	31.38
47026-12L	3/4 BSP	4000kpa	59.96	39.97
47026-16L	1 BSP	4000kpa	82.77	55.18
47026-20L	1 1/4 BSP	3000kpa	124.31	82.87
47026-24L	1 1/2 BSP	3000kpa	198.77	132.51
47026-32L	2 BSP	2000kPa	260.08	173.38
47026-40L	2 1/2 BSP	2000kPa	481.19	320.79
47026-48L	3 BSP	2000kPa	669.50	446.33
47026-64L	4 BSP	2000kPa	1125.46	750.31

Brass Ball Valves

Hipress Series - F & F Reduced Bore Brass Ball Valve

Suitable for high pressure hydraulics & pneumatics. Quoted maximum pressure at 20°C.



Order Code	Size	Maximum Pressure	RRP Price	List Price
47026-06HP	3/8 BSP	21000kPa	114.23	76.15
47026-08HP	1/2 BSP	21000kPa	132.39	88.26
47026-12HP	3/4 BSP	21000kPa	206.43	137.62
47026-16HP	1 BSP	21000kPa	262.70	175.13

Gar Ball Bibcock With Hose End

Suitable for air, fuel and other industrial applications. Max operating temperature 110°C



Order Code	Tube x BSP	Maximum Pressure	RRP Price	List Price
47064-0806	1/2 x 3/8	1500kPa	20.10	13.40
47064-1008	5/8 x 1/2	1500kPa	15.15	10.10
47064-1212	3/4 x 3/4	1500kPa	21.45	14.30
47064-1616	1 x 1	1170kPa	39.87	26.58